




UNIVERSITY
OF
JOHANNESBURG

20
/
21

ANNUAL
REPORT



The Future
Reimagined



Statement on Environmental Sustainability

OVERVIEW

UJ has committed itself to improving on its sustainable practices in all of its University activities. The development of the UJ Strategic Plan 2025, anchored in the overarching goal of global excellence and stature (GES), has placed a requirement on the institution to improve on its sustainability footprint.

Strategic Objective Six

Strategic Objective Six, fitness for global excellence and stature, states that *“We will also minimise harmful impact on our environment through managing our carbon footprint, reducing energy and water wastage, encouraging paperless communication, and overall fostering of a culture of responsible stewardship”*.

UJ has seen a growing commitment towards the goal of being a sustainable institution that strives to implement improvements and actions across all spheres of its campus activities. UJ firmly believes that sustainable development is a long-term commitment and aims to contribute to sustainability by reducing its environmental footprint, while enhancing its contributions to the social and economic development of South Africa.

This report highlights some of the specific focus areas, as well as improvements achieved during 2021.

ENERGY MANAGEMENT

Carbon footprint

UJ’s carbon footprint analysis was based on its actual 2021 energy consumption. The total carbon footprint for 2021, based on energy consumption from various sources, is approximately 37 692 tons of CO₂ compared to the 41 403 tons reported during 2020 (refer to Tables 17 and 18, respectively). This indicates a decrease of approximately 8,96%. This can be attributed almost entirely to the continued effect of the various COVID-19 lockdown levels that were applied at various times during 2021 with the consequent reduction in foot traffic on all UJ campuses and off-campus facilities.

In considering this figure, the following should be noted:

- UJ has increased its built area footprint by 10,65% as from 2013.
- The Auckland Park Kingsway Campus continued to contribute significantly to the overall carbon footprint with 22 865 tons of CO₂ compared to the overall University footprint of 37 692.
- Infrastructure on the campuses is included in the consumption figures.
- The methodology of measuring the carbon footprint is based on absolute consumption on main campus areas, excluding UJ owned properties that are not designated as part of the campuses.
- It is the first time that reporting on power generation has led to a measurable decrease in the carbon generated by UJ – the decrease of carbon generated must also be seen against the 6,501% electricity generated by the solar PV plants. This must also be seen against the fact that at times the solar PV plant was not operating optimally because of the lighter foot traffic on the campuses – this will certainly not be the case in 2022.

Table 17: Carbon footprint based on 2021 actual consumption

Emission Source	Kingsway Campus (APK)	Bunting Road Campus (APB)	Doornfontein Campus (DFC)	Soweto Campus (SWC)	Total CO ₂	Total tons of CO ₂
Electricity (kWh)	20 593 152	4 984 176	6 487 456	4 074 804	36 139 587	36 140
Natural Gas (GJ)	1 005 967	255 567	234 048	0	1 495 582	1 496
Catbot	0	0	0	0	0	0
Petrol (fleet)	159 627	40 060	66 651	41 286	307 624	308
Diesel (fleet)	90 423	11 919	36 205	52 383	190 930	191
Diesel generators	35 217	10 670	6 091	5 905	57 882	58
Inter-campus bus and staff flights	980 083	203 413	443 811	221 906	1 849 213	1 849
Paper used by UJ/ KMSA sites	277	54	119	56	505	1
Total kg of CO ₂	22 864 745	5 505 859	7 274 381	4 396 339	40 041 325	40 041
Total Tons of CO ₂	22 865	5 506	7 274	4 396	40 041	Reduction of Electrical Power
Solar PV generation (tons CO ₂)	1 028	501	411	410	2 349	6,5%
					Total tons of CO₂	37 692

This highlights a decrease of 8,96% as compared to the usage in 2020.
 The 2021 carbon footprint breakdown is as per Figures 1 and 2 depicted.




Figure 1: CO₂ production per campus

Table 18: Carbon footprint based on 2020 actual consumption

Emission Source	Kingsway Campus (APK)	Bunting Road Campus (APB)	Doornfontein Campus (DFC)	Soweto Campus (SWC)	Total CO ₂	Total tons of CO ₂
Electricity (kWh)	20 708 411	5 845 577	7 988 701	3 457 593	38 000 280	38 000
Natural Gas (GJ)	923 004	334 099	281 928	0	1 539 030	2 416
Catbot	38 581	0	0	0	38 581	39
Petrol (fleet)	163 373	30 746	71 159	61 342	326 620	327
Diesel (fleet)	229 424	23 325	54 062	51 435	358 246	358
Diesel generators	62 102	0	2 353	47 565	112 020	112
Inter-campus bus and staff flights	520 376	147 276	206 187	108 003	981 842	982
Paper used by UJ/ KMSA sites	831 905	162 085	356 499	168 182	1 518 671	1 519
Total kg of CO ₂	23 477 176	6 543 107	8 960 889	3 894 118	42 875 291	43 753
Total Tons of CO ₂	23 477.18	6 543.11	8 960.89	3 894.12	42 875.29	Reduction
Solar PV generation (tons CO ₂)	1 027.59	500.92	410.69	410.30	2 349.50	6,18%
					Total tons of CO₂	41 403




Figure 2: January to December 2021 YTD tons of CO₂ per emission source

Electricity

For January to December 2021, the University of Johannesburg achieved an electrical energy savings of 37,69%, compared to the 2015 baseline (which is the initial value against which we are required to report going forward) for all properties, based on an absolute measurement methodology. The measurement methodology makes no allowance for infrastructure changes or fluctuations in student or staff numbers. This saving was achieved against an adjusted additional savings from 2020 of the 5,75% target set for the 2021 year, which was not met by the actual savings of 4,9% of Eskom purchased power; however, this must be seen against the context of the 2020 consumption being off a very low base.

The various energy savings initiatives that have started showing positive results are the following:

- The own generation of power through the solar photovoltaic (PV) plants now operating on all four campuses.
- The implementation of energy saving lights (LEDs).
- Occupancy sensors (implementation still ongoing).
- The increased use of gas for water heating at residences on the APB and DFC Campuses.
- The further installation of heat pumps, especially in new and refurbished residences.
- The installation of energy efficient showerheads.
- The installation of load control ripple relays.

Continuing with these types of initiatives, including the introduction of further photovoltaic (PV) systems, together with awareness campaigns, will further improve on savings. Since 2018, savings have been lowest on APK, due to increased HVAC and the growth in specialist research equipment on the campus. Table 19 identifies the 2021 energy savings expressed as a percentage – note that the first three months of 2021 are being compared against a pre-pandemic period in 2020 and therefore show dramatic reductions – after this, slight increases reflect the difference between hard lockdown 2020 consumption and the more relaxed lockdowns and partial return to campuses from June 2021.

Table 19: Electrical energy savings (2021) based on 2020 consumption (includes own generation)

Month	APK	APB	DFC	SWC	Total
Jan-21	-34,99%	-23,55%	-35,77%	-29,74%	-33,19%
Feb-21	-36,92%	-39,14%	-42,49%	-36,61%	-38,26%
Mar-21	-19,15%	-35,36%	-28,52%	19,5%	-20,7%
Apr-21	25,56%	-16,95%	1,44%	47,87%	15,64%
May-21	39,16%	-2,45%	16,45%	74,33%	30,93%
Jun-21	22,51%	-12,99%	10,69%	65,03%	17,73%
Jul-21	2,18%	-19,07%	-12,96%	25,29%	-2,23%
Aug-21	21,75%	14,64%	-0,48%	37,44%	17,52%
Sep-21	5,33%	-2,85%	-9,63%	23,34%	2,55%
Oct-21	0,57%	-7,66%	-13,42%	20,17%	-1,6%
Nov-21	-1,97%	-11,41%	-14,09%	3,18%	-5,27%
Dec-21	5,35%	-10,47%	-0,52%	0,05%	1,37%
Totals	-0,56%	-14,74%	-12,41%	17,85%	-3,42%

The 2021 YTD total electricity consumption is highlighted in Table 20.

Table 20: 2021 YTD total electricity consumption

Month	APK	APB	DFC	SWC	Total
Jan-21	1 284 546	327 663	396 980	207 366	2 216 555
Feb-21	1 369 668	348 379	407 268	232 426	2 357 741
Mar-21	1 674 106	376 240	494 959	319 051	2 864 356
Apr-21	1 687 001	343 917	497 586	327 651	2 856 155
May-21	1 960 426	414 246	584 452	395 405	3 354 529
Jun-21	1 926 328	426 521	626 125	402 263	3 381 237
Jul-21	1 815 066	431 489	589 461	383 437	3 219 453
Aug-21	2 045 929	583 244	658 207	432 926	3 720 306
Sep-21	1 671 462	458 463	584 079	357 089	3 071 093
Oct-21	1 804 003	475 225	557 316	377 689	3 214 233
Nov-21	1 556 271	390 243	497 245	314 425	2 758 184
Dec-21	1 198 545	263 376	404 824	206 392	2 073 137
Totals	19 993 351	4 839 006	6 298 501	3 956 120	35 086 978

Natural gas

Sasol natural gas (Egoli gas) now contributes 3,97% to UJ's total carbon footprint. Natural gas is used mainly in student centres for the purposes of food preparation, as well as in residences for the generation of hot water, and in small quantities at the laboratories for experiments. The saving achieved on gas reduction for 2021 compared to 2015 is 49,3% (again reiterating that the baseline is the 2015 figure for gas consumption). Note that the annual savings – even in the reduced COVID-19 lockdowns in 2020 – have increased further.

Egoli natural gas has a lower CO₂ footprint per gigajoule (GJ) of energy when compared to coal and is therefore a cleaner source of energy. Egoli natural gas will in future be used at a number of residences for heating water and cooking. Since a great deal of gas is used for heating on the APB Campus, there is a plan to trial a 500kW combined heat and power (CHP) power generation facility to simultaneously reduce dependence on Eskom power and to reduce the campus carbon footprint further. The continuing diversification of energy sources, from 2019 onwards, will result in a small but measurable continual reduction in the carbon footprint, especially at the residences.

Petrol, diesel and travel related usage

Petrol and diesel fuels are primarily consumed as fuel sources for UJ's vehicle fleet as well as for diesel generators across its main campuses. There are currently 84 generators installed at various points within the UJ infrastructure. Petrol and diesel contribute a small amount to the total carbon footprint, namely 1,48%. It must be noted that increasing occurrence of Eskom load shedding has already produced an increase in diesel usage, and this may result in further substantial CO₂ generation in future, since liquid fuels have a higher CO₂ generation per GJ of energy consumed. There was a small increase in local travel during 2021, but there was a halving of diesel used for backup generators as well as diesel for maintenance vehicles used as standby vehicles during the lockdown periods.

Since 2019, UJ has also started reporting energy consumption and CO₂ generation resulting from the extensive student bus service operated between campuses, as well as the effective CO₂ generation due to staff related national and international flights. In 2021, the renewal of staff flights as well as a subdued return to a more normal student bussing situation resulted in a doubling of carbon generation. For 2021, this carbon generation source was 4,91% of the total UJ generation.

Catbot fuel

Catbot fuel is used for the purposes of generating hot water for the central air conditioning plant on APK during the five winter months. Catbot fuel is used to run two hot water generators for the generation of hot water, which is distributed and circulated through the air conditioning system on APK. At present, the catbot fuelled boilers are being repaired and no catbot fuel was used in 2021 at all.

WATER MANAGEMENT

Using water sparingly has become a necessity at UJ. A small water savings was achieved for 2021, and compared to 2015 there has been an overall decrease of only 1,88% against the very low values of 2020. The APK water consumption in 2021 showed only a 2,95% decrease from the 2019 and 2020 data, even after a major pipe leak had been identified and repaired. As far as possible, borehole water is now used on all campuses, and the four new boreholes for supply subvention from 2019 are now in operation.

A number of initiatives implemented in 2021 contributed to some water savings. The key focus areas in the reduction of water consumption for 2019 were as follows:

- Harvesting rainwater for the purpose of irrigation.
- Achieving 95% installation of water restricting showerheads in residences and installing 100% of new residences with low flow showerheads.

The key focus areas in the reduction of water consumption for 2022 are as follows:

- Ensuring that all new student residences make use of push-taps at kitchen hand basins and bathrooms, and trialling push-taps in shower cubicles to reduce water loss due to inadvertent open tap losses after water supply cuts.
- Completing the drilling programmes for an additional new borehole on each of the campuses, for the purpose of using the water for irrigation.
- Benchmarking water usage against other universities and using this as an incentive to increase savings at UJ.
- Conducting further awareness campaigns on campuses and in residences to achieve water savings.
- Continuing with the ongoing installation of water restricting showerheads and extending the retro-fitting of push-taps in residences and ablution facilities as funds and technological factors permit.
- Considering the use of waterless urinals to reduce water consumption and investigating a waste concentration system on the APK Campus to reduce sewage costs and allow for substantial water recovery for irrigation purposes.
- Another grey water trial is expected to be developed in 2022, which, if more successful than in the past, will be extended to other residences and high-traffic ablution facilities.




Figure 3: UJ total water consumption comparison from 2015 to 2021