

APK - MAIN LIBRARY 24HOUR STUDY AREA EXTENSION & PWD COMPUTER HUB

NOTE:
- ALL WORK TO BE DONE AS PER SPECIFICATION
- MAKE GOOD ALL WORK
- ALL WORK TO APPROVAL
- CLARIFY ANY UNCERTAINTY
- DIMENSIONS TO BE CHECKED ON SITE

NEW WORK
DEMOLISH

- (A) - RELOCATE EXISTING GLAZED PARTITION WALL IN POSITION AS SHOWN AND MAKE GOOD TO APPROVAL.
(B) - RELOCATE EXISTING PANEL DOOR IN POSITION AS SHOWN AND MAKE GOOD TO APPROVAL.
(C) - REMOVE EXISTING WINDOW IN POSITION AS SHOWN AND MAKE GOOD TO APPROVAL.
(D) - RELOCATE EXISTING FIRE HOSE PIPE IN POSITION AS PER OHS RECOMMENDATIONS AND MAKE GOOD TO APPROVAL.
(E) - RELOCATE EXISTING FIRE EXTINGUISHER IN POSITION AS PER OHS RECOMMENDATIONS AND MAKE GOOD TO APPROVAL.

- (1) - INSTALL NEW GLAZED PANEL WITH ALUMINIUM FRAME AT BOTH SIDES TO MATCH EXISTING IN POSITION AS SHOWN FROM FLOOR LEVEL TO U/S OF SLAB / CEILING ABOVE AS PER UJ SPECIFICATION TO UJ TECHNICAL MAINTENANCE APPROVAL.
(2) - RE-USE RELOCATED GLAZED PANEL WITH ALUMINIUM FRAME AT BOTH SIDES TO MATCH EXISTING IN POSITION AS SHOWN FROM FLOOR LEVEL TO U/S OF SLAB / CEILING ABOVE AS PER UJ SPECIFICATION TO UJ TECHNICAL MAINTENANCE APPROVAL.
(3) - RE-USE RELOCATED AUTOMATED SLIDING DOOR WITH LOCKABLE IRONMONGERY WITH IN POSITION AS SHOWN TO MATCH EXISTING AS PER SPEC. & TO APPROVAL.
(4) - INSTALL NEW FIRE ESCAPE DOOR WITH PUSH BAR IN POSITION AS SHOWN AS PER OHS SPECS & APPROVAL.
(5) - INSTALL NEW WORKSTATIONS TO MATCH EXISTING IN POSITION AS SHOWN AS PER CLIENTS APPROVAL. **NOTE: POWER PLUGS FIXED TO WORKSTATION TOPS AND BE FLUSH WITH SURFACE.**
(6) - INSTALL NEW STANDARD ALUMINIUM FRAMED PWD FRIENDLY SEMI-SOLID PANEL DOOR AND IRONMONGERY WITH (Key and lock specifications to be CISA cylinders with G96D keyway only) IN POSITION AS SHOWN TO MATCH EXISTING AS PER SPEC. & TO APPROVAL. **NOTE: DOOR TO HAVE 500mm HIGH KICK PLATE.**
(7) - INSTALL NEW PWD FRIENDLY TABLE 750mm HIGH X 600mm WIDTH FIXED TO THE FLOOR WITH STEEL LEGS AT 1200mm WIDE OPENINGS.

GENERAL NOTE:

- UJ PROTECTION SERVICES AND CLIENT TO CONFIRM SECURITY REQUIREMENTS
- RE-ARRANGE EXISTING LIGHT FITTINGS AND ADD NEW WHERE NECESSARY - EACH ROOM TO HAVE INDEPENDENT LIGHT SWITCH ALL TO APPROVAL OF UJ ELECTRICAL.
- HVAC REQUIREMENTS TO BE CONFIRMED AND TO APPROVAL OF UJ HEALTH AND SAFETY.

SYMBOLS / LEGEND

- INSTALL NEW 15A SINGLE PHASE IN POSITION TO APPROVAL OF UJ ELECTRICAL.
 - NEW CABSTRUT N8/3 POWER SKIRTING WITH SNAP-ON COVERS FIXED TO STEEL PLATE ACCORDING TO MANUFACTURERS SPEC'S SUITABLY FIXED PLACE AND TO APPROVAL OF UJ ELECTRICAL.
 - MAKE PROVISION TO INSTALL ACCESS CARD READER OR EQUAL APPROVE TO APPROVAL OF UJ PROTECTION SERVICES.


DRAWN: KC
APPROVED: GJ
CHECKED: GJ

REV	APPROVED	DATE	DESCRIPTION

CAMPUS CODE: APK
TITLE:
APK - MAIN LIBRARY 24HOUR STUDY AREA EXTENSION & PWD COMPUTER HUB

DATE: 4/24/2024
BUILDING: MAIN_LIBRARY
FLOOR: FLOOR

UNIVERSITY
OF
JOHANNESBURG



CENTRAL TECHNICAL SERVICES
TEL : 559-3019
FAX : 559-3206

SCALE:	SCALE
DRAWING NAME:	APK - LIBRARY 24HOUR STUDY SPACE
REVISION:	C